

Programm : trimas 14.0

Uhr : 17:37:15

Projekt : C:/Users/Public/Document/Demo/...

Datum : 28.08.2014

			0.0	-0.5	0.0	0.0	-0.0	0.0	0.010
6.18	32	0.60	435.5	4.7	0.0	7.3	1.6	-0.0	0.999
			0.0	-0.5	0.0	0.0	-0.0	0.0	0.010
6.70	32	0.60	435.5	4.4	0.0	7.3	1.5	-0.0	0.991
			0.0	-0.7	0.0	0.0	-0.0	0.0	0.014
7.22	32	0.60	435.4	4.0	0.0	7.3	1.3	-0.0	0.980
			0.0	-0.9	0.0	0.0	-0.0	0.0	0.019
7.22	32	0.60	435.4	4.0	0.0	7.3	1.3	-0.0	0.980
			0.0	-0.9	0.0	0.0	-0.0	0.0	0.019
7.73	32	0.60	435.4	3.5	0.0	7.3	1.2	-0.0	0.966
			0.0	-1.1	0.0	0.0	-0.0	0.0	0.023
8.25	32	0.60	435.3	2.9	0.0	7.3	1.0	-0.0	0.948
			0.0	-1.3	0.0	0.0	-0.0	0.0	0.028
8.25	32	0.60	256.0	2.9	0.0	4.3	1.0	-0.0	0.592
			0.0	0.5	0.0	0.0	0.0	0.0	0.012
8.76	32	0.60	255.9	3.2	0.0	4.3	1.1	-0.0	0.598
			0.0	0.3	0.0	0.0	0.0	0.0	0.007
9.28	32	0.60	255.8	3.3	0.0	4.3	1.1	-0.0	0.601
			0.0	0.1	0.0	0.0	0.0	0.0	0.003
9.28	32	0.60	255.8	3.3	0.0	4.3	1.1	-0.0	0.601
			0.0	0.1	0.0	0.0	0.0	0.0	0.003
9.79	32	0.60	255.8	3.3	0.0	4.3	1.1	-0.0	0.602
			0.0	-0.1	0.0	0.0	-0.0	0.0	0.001
10.31	32	0.60	255.7	3.2	0.0	4.3	1.1	-0.0	0.599
			0.0	-0.3	0.0	0.0	-0.0	0.0	0.006
10.31	32	0.60	255.7	3.2	0.0	4.3	1.1	-0.0	0.599
			0.0	-0.3	0.0	0.0	-0.0	0.0	0.006
10.82	32	0.60	255.7	3.0	0.0	4.3	1.0	-0.0	0.594
			0.0	-0.5	0.0	0.0	-0.0	0.0	0.010
11.34	32	0.60	255.6	2.7	0.0	4.3	0.9	-0.0	0.586
			0.0	-0.7	0.0	0.0	-0.0	0.0	0.015
11.34	32	0.60	255.6	2.7	0.0	4.3	0.9	-0.0	0.586
			0.0	-0.7	0.0	0.0	-0.0	0.0	0.015
11.85	32	0.60	255.6	2.3	0.0	4.3	0.8	-0.0	0.574
			0.0	-0.9	0.0	0.0	-0.0	0.0	0.019
12.37	32	0.60	255.5	1.8	0.0	4.3	0.6	-0.0	0.560
			0.0	-1.1	0.0	0.0	-0.0	0.0	0.023
12.37	32	0.60	-2.0	1.8	0.0	-0.0	0.6	-0.0	0.052
			0.0	0.4	0.0	0.0	0.0	0.0	0.008
12.88	32	0.60	-2.1	2.0	0.0	-0.0	0.7	-0.0	0.056
			0.0	0.2	0.0	0.0	0.0	0.0	0.003
13.40	32	0.60	-2.1	2.0	0.0	-0.0	0.7	-0.0	0.056
			0.0	-0.0	0.0	0.0	-0.0	0.0	0.001
13.40	32	0.60	-2.1	2.0	0.0	-0.0	0.7	-0.0	0.056
			0.0	-0.0	0.0	0.0	-0.0	0.0	0.001
13.92	32	0.60	-2.2	1.9	0.0	-0.0	0.6	-0.0	0.054
			0.0	-0.2	0.0	0.0	-0.0	0.0	0.005
14.43	32	0.60	7.1	1.3	0.0	0.1	0.4	-0.0	0.050
			0.0	-0.2	0.0	0.0	-0.0	0.0	0.005
14.43	32	0.60	7.1	1.3	0.0	0.1	0.4	-0.0	0.050
			0.0	-0.2	0.0	0.0	-0.0	0.0	0.005
14.95	32	0.60	7.0	1.1	0.0	0.1	0.4	-0.0	0.045
			0.0	-0.4	0.0	0.0	-0.0	0.0	0.009
15.46	32	0.60	7.0	0.8	0.0	0.1	0.3	-0.0	0.038
			0.0	-0.6	0.0	0.0	-0.0	0.0	0.013
15.46	32	0.60	7.0	0.8	0.0	0.1	0.3	-0.0	0.038
			0.0	-0.6	0.0	0.0	-0.0	0.0	0.013
15.98	32	0.60	6.9	0.5	0.0	0.1	0.2	-0.0	0.027
			0.0	-0.8	0.0	0.0	-0.0	0.0	0.018
16.49	32	0.60	-2.4	0.0	0.0	-0.0	0.0	-0.0	-0.004
			0.0	-1.3	0.0	0.0	-0.0	0.0	0.027
16.49	32	0.60	-31.1	0.0	0.0	-0.5	0.0	-0.0	-0.047
			0.0	0.8	0.0	0.0	0.0	0.0	0.018
17.01	32	0.60	-31.0	0.4	0.0	-0.5	0.1	-0.0	0.012

Programm : trimas 14.0

Uhr : 17:37:15

Projekt : C:/Users/Public/Document/Demo/...

Datum : 28.08.2014

4.64	32	0.60	259.5	4.3	0.0	4.3	1.4	-0.0	0.637
			0.0	-0.4	0.0	0.0	-0.0	0.0	0.009
5.15	32	0.60	259.4	4.0	0.0	4.3	1.3	-0.0	0.630
			0.0	-0.6	0.0	0.0	-0.0	0.0	0.013
5.15	32	0.60	259.4	4.0	0.0	4.3	1.3	-0.0	0.630
			0.0	-0.6	0.0	0.0	-0.0	0.0	0.013
5.67	32	0.60	259.4	3.7	0.0	4.3	1.2	-0.0	0.619
			0.0	-0.8	0.0	0.0	-0.0	0.0	0.018
6.18	32	0.60	259.3	3.2	0.0	4.3	1.1	-0.0	0.606
			0.0	-1.0	0.0	0.0	-0.0	0.0	0.022
6.18	32	0.60	259.3	3.2	0.0	4.3	1.1	-0.0	0.606
			0.0	-1.0	0.0	0.0	-0.0	0.0	0.022
6.70	32	0.60	259.3	2.6	0.0	4.3	0.9	-0.0	0.590
			0.0	-1.2	0.0	0.0	-0.0	0.0	0.026
7.22	32	0.60	259.2	1.9	0.0	4.3	0.6	-0.0	0.570
			0.0	-1.4	0.0	0.0	-0.0	0.0	0.031
7.22	32	0.60	259.2	1.9	0.0	4.3	0.6	-0.0	0.570
			0.0	-1.4	0.0	0.0	-0.0	0.0	0.031
7.73	32	0.60	259.2	1.2	0.0	4.3	0.4	-0.0	0.548
			0.0	-1.6	0.0	0.0	-0.0	0.0	0.035
8.25	32	0.60	259.1	0.3	0.0	4.3	0.1	-0.0	0.523
			0.0	-1.8	0.0	0.0	-0.0	0.0	0.040
8.25	32	0.60	4.4	-0.1	0.0	0.1	-0.0	-0.0	0.011
			0.0	0.8	0.0	0.0	0.0	0.0	0.018
8.76	32	0.60	6.9	0.3	0.0	0.1	0.1	-0.0	0.023
			0.0	0.6	0.0	0.0	0.0	0.0	0.013
9.28	32	0.60	6.9	0.6	0.0	0.1	0.2	-0.0	0.030
			0.0	0.4	0.0	0.0	0.0	0.0	0.009
9.28	32	0.60	6.9	0.6	0.0	0.1	0.2	-0.0	0.030
			0.0	0.4	0.0	0.0	0.0	0.0	0.009
9.79	32	0.60	6.8	0.7	0.0	0.1	0.2	-0.0	0.035
			0.0	0.2	0.0	0.0	0.0	0.0	0.005
10.31	32	0.60	6.8	0.8	0.0	0.1	0.3	-0.0	0.036
			0.0	0.0	0.0	0.0	0.0	0.0	0.000
10.31	32	0.60	6.8	0.8	0.0	0.1	0.3	-0.0	0.036
			0.0	0.0	0.0	0.0	0.0	0.0	0.000
10.82	32	0.60	6.7	0.8	0.0	0.1	0.3	-0.0	0.035
			0.0	-0.2	0.0	0.0	-0.0	0.0	0.004
11.34	32	0.60	6.7	0.6	0.0	0.1	0.2	-0.0	0.030
			0.0	-0.4	0.0	0.0	-0.0	0.0	0.008
11.34	32	0.60	6.7	0.6	0.0	0.1	0.2	-0.0	0.030
			0.0	-0.4	0.0	0.0	-0.0	0.0	0.008
11.85	32	0.60	6.6	0.4	0.0	0.1	0.1	-0.0	0.023
			0.0	-0.6	0.0	0.0	-0.0	0.0	0.013
12.37	32	0.60	-3.7	0.0	0.0	-0.1	0.0	-0.0	-0.006
			0.0	-0.9	0.0	0.0	-0.0	0.0	0.019
12.37	32	0.60	-32.1	0.0	0.0	-0.5	0.0	-0.0	-0.048
			0.0	0.8	0.0	0.0	0.0	0.0	0.018
12.88	32	0.60	-32.0	0.4	0.0	-0.5	0.1	-0.0	0.013
			0.0	0.6	0.0	0.0	0.0	0.0	0.013
13.40	32	0.60	-32.0	0.6	0.0	-0.5	0.2	-0.0	0.020
			0.0	0.4	0.0	0.0	0.0	0.0	0.009
13.40	32	0.60	-32.0	0.6	0.0	-0.5	0.2	-0.0	0.020
			0.0	0.4	0.0	0.0	0.0	0.0	0.009
13.92	32	0.60	-31.9	0.8	0.0	-0.5	0.3	-0.0	0.024
			0.0	0.2	0.0	0.0	0.0	0.0	0.004
14.43	32	0.60	-31.9	0.8	0.0	-0.5	0.3	-0.0	0.026
			0.0	0.0	0.0	0.0	0.0	0.0	0.000
14.43	32	0.60	-31.9	0.8	0.0	-0.5	0.3	-0.0	0.026
			0.0	0.0	0.0	0.0	0.0	0.0	0.000
14.95	32	0.60	-31.8	0.8	0.0	-0.5	0.3	-0.0	0.024
			0.0	-0.2	0.0	0.0	-0.0	0.0	0.004
15.46	32	0.60	-31.8	0.6	0.0	-0.5	0.2	-0.0	0.020
			0.0	-0.4	0.0	0.0	-0.0	0.0	0.009

Programm : trimas 14.0

Uhr : 17:37:15

Projekt : C:/Users/Public/Document/Demo/...

Datum : 28.08.2014

			0.0	-9.4	0.0	0.0	-0.3	0.0	0.203
7.22	32	0.60	-504.1	6.0	0.0	-8.4	2.0	-0.0	0.744
			0.0	-9.4	0.0	0.0	-0.3	0.0	0.203
7.73	32	0.60	-424.8	-0.1	0.0	-7.1	-0.0	-0.0	0.411
			0.0	-12.0	0.0	0.0	-0.3	0.0	0.260
8.25	32	0.60	-506.3	-8.5	0.0	-8.4	-2.8	-0.0	0.818
			0.0	-18.7	0.0	0.0	-0.5	0.0	0.405
8.25	32	0.60	-403.3	-8.5	0.0	-6.7	-2.8	-0.0	0.606
			0.0	18.8	0.0	0.0	0.5	0.0	0.408
8.76	32	0.60	-404.4	0.0	0.0	-6.7	0.0	-0.0	-0.607
			0.0	14.2	0.0	0.0	0.4	0.0	0.307
9.28	32	0.60	-405.5	6.1	0.0	-6.8	2.0	-0.0	0.544
			0.0	9.5	0.0	0.0	0.3	0.0	0.206
9.28	32	0.60	-405.5	6.1	0.0	-6.8	2.0	-0.0	0.544
			0.0	9.5	0.0	0.0	0.3	0.0	0.206
9.79	32	0.60	-406.6	9.8	0.0	-6.8	3.3	-0.0	0.650
			0.0	4.8	0.0	0.0	0.1	0.0	0.105
10.31	32	0.60	-407.7	11.1	0.0	-6.8	3.7	-0.0	0.688
			0.0	0.2	0.0	0.0	0.0	0.0	0.004
10.31	32	0.60	-407.7	11.1	0.0	-6.8	3.7	-0.0	0.688
			0.0	0.2	0.0	0.0	0.0	0.0	0.004
10.82	32	0.60	-408.9	10.0	0.0	-6.8	3.3	-0.0	0.659
			0.0	-4.5	0.0	0.0	-0.1	0.0	0.097
11.34	32	0.60	-410.0	6.5	0.0	-6.8	2.2	-0.0	0.562
			0.0	-9.2	0.0	0.0	-0.2	0.0	0.199
11.34	32	0.60	-410.0	6.5	0.0	-6.8	2.2	-0.0	0.562
			0.0	-9.2	0.0	0.0	-0.2	0.0	0.199
11.85	32	0.60	-411.1	0.5	0.0	-6.9	0.2	-0.0	0.398
			0.0	-13.8	0.0	0.0	-0.4	0.0	0.300
12.37	32	0.60	-412.2	-7.8	0.0	-6.9	-2.6	-0.0	0.603
			0.0	-18.5	0.0	0.0	-0.5	0.0	0.401
12.37	32	0.60	-223.9	-7.8	0.0	-3.7	-2.6	-0.0	0.332
			0.0	15.6	0.0	0.0	0.4	0.0	0.338
12.88	32	0.60	-225.0	-0.9	0.0	-3.7	-0.3	-0.0	0.141
			0.0	10.9	0.0	0.0	0.3	0.0	0.237
13.40	32	0.60	-226.1	3.5	0.0	-3.8	1.2	-0.0	0.214
			0.0	6.3	0.0	0.0	0.2	0.0	0.136
13.40	32	0.60	-226.1	3.5	0.0	-3.8	1.2	-0.0	0.214
			0.0	6.3	0.0	0.0	0.2	0.0	0.136
13.92	32	0.60	-227.2	5.5	0.0	-3.8	1.8	-0.0	0.272
			0.0	1.6	0.0	0.0	0.0	0.0	0.035
14.43	32	0.60	-228.3	5.2	0.0	-3.8	1.7	-0.0	0.263
			0.0	-3.0	0.0	0.0	-0.1	0.0	0.066
14.43	32	0.60	-228.3	5.2	0.0	-3.8	1.7	-0.0	0.263
			0.0	-3.0	0.0	0.0	-0.1	0.0	0.066
14.95	32	0.60	-225.4	2.7	0.0	-3.8	0.9	-0.0	0.190
			0.0	-7.1	0.0	0.0	-0.2	0.0	0.155
15.46	32	0.60	-230.6	-2.8	0.0	-3.8	-0.9	-0.0	0.199
			0.0	-12.4	0.0	0.0	-0.3	0.0	0.268
15.46	32	0.60	-230.6	-2.8	0.0	-3.8	-0.9	-0.0	0.199
			0.0	-12.4	0.0	0.0	-0.3	0.0	0.268
15.98	32	0.60	-231.7	-10.4	0.0	-3.9	-3.5	-0.0	0.413
			0.0	-17.0	0.0	0.0	-0.5	0.0	0.369
16.49	32	0.60	-232.8	-20.4	0.0	-3.9	-6.8	-0.0	0.694
			0.0	-21.7	0.0	0.0	-0.6	0.0	0.470
16.49	32	0.60	36.4	-20.4	0.0	0.6	-6.8	-0.0	0.644
			0.0	23.6	0.0	0.0	0.6	0.0	0.511
17.01	32	0.60	35.3	-9.4	0.0	0.6	-3.1	-0.0	0.334
			0.0	18.9	0.0	0.0	0.5	0.0	0.410
17.52	32	0.60	34.2	-0.8	0.0	0.6	-0.3	-0.0	0.092
			0.0	14.3	0.0	0.0	0.4	0.0	0.309
17.52	32	0.60	34.2	-0.8	0.0	0.6	-0.3	-0.0	0.092
			0.0	14.3	0.0	0.0	0.4	0.0	0.309
18.04	32	0.60	33.1	5.3	0.0	0.6	1.8	-0.0	0.215

Programm : trimas 14.0

Uhr : 17:37:15

Projekt : C:/Users/Public/Document/Demo/...

Datum : 28.08.2014

5.67	32	0.60	-410.3	8.8	0.0	-6.8	2.9	-0.0	0.629
			0.0	4.5	0.0	0.0	0.1	0.0	0.098
6.18	32	0.60	-411.4	10.0	0.0	-6.9	3.3	-0.0	0.663
			0.0	-0.1	0.0	0.0	-0.0	0.0	0.003
6.18	32	0.60	-411.4	10.0	0.0	-6.9	3.3	-0.0	0.663
			0.0	-0.1	0.0	0.0	-0.0	0.0	0.003
6.70	32	0.60	-412.5	8.7	0.0	-6.9	2.9	-0.0	0.629
			0.0	-4.8	0.0	0.0	-0.1	0.0	0.104
7.22	32	0.60	-413.7	5.0	0.0	-6.9	1.7	-0.0	0.528
			0.0	-9.5	0.0	0.0	-0.3	0.0	0.205
7.22	32	0.60	-413.7	5.0	0.0	-6.9	1.7	-0.0	0.528
			0.0	-9.5	0.0	0.0	-0.3	0.0	0.205
7.73	32	0.60	-414.6	-1.1	0.0	-6.9	-0.4	-0.0	0.420
			0.0	-13.6	0.0	0.0	-0.4	0.0	0.294
8.25	32	0.60	-415.9	-9.6	0.0	-6.9	-3.2	-0.0	0.660
			0.0	-18.8	0.0	0.0	-0.5	0.0	0.407
8.25	32	0.60	-227.8	-9.6	0.0	-3.8	-3.2	-0.0	0.386
			0.0	16.5	0.0	0.0	0.4	0.0	0.358
8.76	32	0.60	-228.9	-2.3	0.0	-3.8	-0.8	-0.0	0.182
			0.0	11.8	0.0	0.0	0.3	0.0	0.257
9.28	32	0.60	-230.1	2.6	0.0	-3.8	0.9	-0.0	0.194
			0.0	7.2	0.0	0.0	0.2	0.0	0.155
9.28	32	0.60	-230.1	2.6	0.0	-3.8	0.9	-0.0	0.194
			0.0	7.2	0.0	0.0	0.2	0.0	0.155
9.79	32	0.60	-231.2	5.1	0.0	-3.9	1.7	-0.0	0.265
			0.0	2.5	0.0	0.0	0.1	0.0	0.054
10.31	32	0.60	-232.2	5.3	0.0	-3.9	1.8	-0.0	0.270
			0.0	-1.8	0.0	0.0	-0.0	0.0	0.040
10.31	32	0.60	-232.2	5.3	0.0	-3.9	1.8	-0.0	0.270
			0.0	-1.8	0.0	0.0	-0.0	0.0	0.040
10.82	32	0.60	-233.3	3.2	0.0	-3.9	1.1	-0.0	0.212
			0.0	-6.3	0.0	0.0	-0.2	0.0	0.136
11.34	32	0.60	-234.5	-1.8	0.0	-3.9	-0.6	-0.0	0.175
			0.0	-11.5	0.0	0.0	-0.3	0.0	0.249
11.34	32	0.60	-234.5	-1.8	0.0	-3.9	-0.6	-0.0	0.175
			0.0	-11.5	0.0	0.0	-0.3	0.0	0.249
11.85	32	0.60	-235.7	-8.9	0.0	-3.9	-3.0	-0.0	0.376
			0.0	-16.2	0.0	0.0	-0.4	0.0	0.350
12.37	32	0.60	-236.8	-18.5	0.0	-3.9	-6.2	-0.0	0.645
			0.0	-20.8	0.0	0.0	-0.6	0.0	0.451
12.37	32	0.60	37.3	-18.5	0.0	0.6	-6.2	-0.0	0.592
			0.0	23.1	0.0	0.0	0.6	0.0	0.501
12.88	32	0.60	36.2	-7.7	0.0	0.6	-2.6	-0.0	0.289
			0.0	18.5	0.0	0.0	0.5	0.0	0.400
13.40	32	0.60	35.0	0.6	0.0	0.6	0.2	-0.0	0.086
			0.0	13.8	0.0	0.0	0.4	0.0	0.299
13.40	32	0.60	35.0	0.6	0.0	0.6	0.2	-0.0	0.086
			0.0	13.8	0.0	0.0	0.4	0.0	0.299
13.92	32	0.60	33.9	6.5	0.0	0.6	2.2	-0.0	0.250
			0.0	9.1	0.0	0.0	0.2	0.0	0.198
14.43	32	0.60	32.8	10.0	0.0	0.5	3.3	-0.0	0.346
			0.0	4.5	0.0	0.0	0.1	0.0	0.097
14.43	32	0.60	32.8	10.0	0.0	0.5	3.3	-0.0	0.346
			0.0	4.5	0.0	0.0	0.1	0.0	0.097
14.95	32	0.60	31.7	11.1	0.0	0.5	3.7	-0.0	0.375
			0.0	-0.2	0.0	0.0	-0.0	0.0	0.004
15.46	32	0.60	30.6	9.8	0.0	0.5	3.3	-0.0	0.336
			0.0	-4.9	0.0	0.0	-0.1	0.0	0.105
15.46	32	0.60	30.6	9.8	0.0	0.5	3.3	-0.0	0.336
			0.0	-4.9	0.0	0.0	-0.1	0.0	0.105
15.98	32	0.60	29.4	6.1	0.0	0.5	2.0	-0.0	0.230
			0.0	-9.5	0.0	0.0	-0.3	0.0	0.206

Maximale Ausnutzung: 0.994