

ZEICON® Biegeliste Stabstahl





















Projekt: *Industriehalle Darwinstraße*
 Plan: *Rohbau*







Bearbeiter: *JE*
 Nr: *4711*

Datum: *17.10.2019* Blatt: *1*

Position	Anzahl	D	Sorte	Länge	Gewicht	Ges.länge [m]	Ges.gew.	Biegeform
①	18	20	BSt500S	25.00	0.617	4.50	11.115	
②	613	10	BSt500S	160.50	0.987	980.80	605.154	
③	63	10	BSt500S	1200.00	7.404	756.00	466.452	
④	35	8	BSt500S	1200.00	4.740	420.00	165.900	
⑤	155	6	BSt500S	1200.00	2.664	1860.00	412.920	
⑥	468	8	BSt500S	750.00	2.963	3510.00	1386.450	
⑦	232	8	BSt500S	470.00	1.857	1090.40	430.708	
⑧	576	16	BSt500S	1200.00	18.960	6912.00	10920.960	

Position	Anzahl	D	Sorte	Länge	Gewicht	Ges.länge[m]	Ges.gew.	Biegeform
9	16	16	BSt500S	800.00	12.640	128.00	202.240	
10	80	16	BSt500S	94.94	1.501	76.00	120.080	
11	80	16	BSt500S	89.53	1.422	72.00	113.760	
12	80	16	BSt500S	84.12	1.327	67.20	106.176	
13	234	16	BSt500S	900.00	14.220	2106.00	3327.480	
14	256	12	BSt500S	1000.00	8.880	2560.00	2273.280	
15	51	12	BSt500S	120.00	1.066	61.20	54.346	
16	118	12	BSt500S	300.00	2.664	354.00	314.352	
17	134	12	BSt500S	184.00	1.634	246.56	218.945	

Position	Anzahl	D	Sorte	Länge	Gewicht	Ges.länge[m]	Ges.gew.	Biegeform
18	340	12	BSt500S	185.22	1.643	629.00	558.552	
19	44	16	BSt500S	210.02	3.318	92.40	145.992	
20	146	16	BSt500S	260.00	4.108	379.60	599.768	
21	95	16	BSt500S	340.00	5.372	323.00	510.340	
22	44	16	BSt500S	163.75	2.591	72.16	114.013	
23	86	14	BSt500S	600.00	7.260	516.00	624.360	
24	16	10	BSt500S	227.68	1.407	36.48	22.508	 Winkelhaken A: 13.0 Winkelhaken E: 13.0
25	16	10	BSt500S	229.74	1.419	36.80	22.706	
26	16	10	BSt500S	194.99	1.203	31.20	19.250	

Position	Anzahl	D	Sorte	Länge	Gewicht	Ges.länge[m]	Ges.gew.	Biegeform
27	24	12	BSt500S	150.00	1.332	36.00	31.968	
								
28	2	20	BSt500S	320.00	7.904	6.40	15.808	
								
29	2	20	BSt500S	200.00	4.940	4.00	9.880	
								

Summe Gesamtgewicht: 23805.462